CUMULATIVE INDEX: VOLUME 2

First number represents issue, second number represents pagination

SUBJECT INDEX

ABG, 4,338-340, 4,342-343
Acoustic communication, in squirrel monkey, 4,388-389
Acoustic reflex (AR) test, 2,91
  results, 2,93-94
  test result interpretation, 2,92
Acquired atresia of external auditory canal, 3,269-271
  case report, 3,269-270
  discussion, 3,270-271
  treatment, 3,271
Adenomatous middle ear tumors, 2,105-107
  case reports, 2,106-107
  cellular metaplasia, 2,107
  clinical considerations, 2,105-106
  histopathogenesis, 2,106
  incidence, 2,105
  rarity of, 2,107
Adhesions, 1,18
  recommendation, 1,21
Allergy skin testing, and chronic serous otitis media, 2,150-157
  allergy and CSOM relationship, 2,154-155
  allergy treatment, 2,155
  diversity of tissue responses, 2,151-154
  general results, 2,151
  method, 2,150-151
  steroids, 2,155
  surgical procedures, 2,151
Allografts, 1,10
Alternate Binaural Loudness Balance (ABLB), 3,219, 220
Ann Arbor, Michigan. University of Michigan, 2,160-163
Auditory brain-stem response (ABR) audiometry, 2,91
  results, 2,93-94
  test result interpretation, 2,92
Auditory imagery and tinnitus, 1,5-9
  air and bone conduction pure-tone thresholds, 1,7
  case reports, 1,5, 6-8
  etiologic factors, 1,8
  masking of tinnitus, 1,9
  origin of tinnitus, 1,9
Auditory prosthesis, *see* Cochlear implant
Aural cholesteatoma, 3,204-210
  guinea pigs, 3,204-205
  histologic studies, 3,207
  methods and materials, 3,205
  Mongolian gerbils, 3,205-209
  results and discussion, 3,205-209
Autografts, 1,10

Bekesy audiometry, 3,220
Bioseminar information, represented in bat's brain, 4,390
Bone accumulation, postoperative, in middle ear, 2,168-169
  acoustic pathophysiology, 2,169
  case reports, 2,168
  diagnosis, 2,169
  discussion, 2,168-169
  sensorineural hearing loss, 2,168
Bone conduction level measurements, 4,341, 343-347, 4,347-353
Bone cyst, 2,190
Brain herniation into mastoid antrum, 1,39
Brain stem auditory evoked response, 4,319

Canal cholesteatoma associated with acquired atresia, 3,269-271
  case report, 3,269-270
  discussion, 3,270-271
  treatment, 3,271
Carhart notch, 4,341, 347
Cerebellopontine angle lesions (CPAO), 4,394
  and perilymph total protein levels, 3,193-195
  and testing, 4,318-323
Cholesteatoma, *see* Aural cholesteatoma; Canal cholesteatoma
Clinical audiologist's role, in Meniere's Disease, 3,211-215
  core questions, 3,211-212
  criteria for reporting hearing changes, 3,213
  preaudiogram, 3,212-214
  staging criteria of Arenberg, 3,214-215
Cochlear implants, 1,22-27, 3,277-282
  application, 1,26-27
  cobalt toxicity, 1,23
  contraindications, 1,27
  European and Australian programs, 3,278-279
  external coil, 1,22
  frequency coding, 1,22-23
  Hearing Rehabilitation Research Center, 3,277-278
  internal coil, 1,22
  methods, 1,23-24
  multichannel devices, 1,26-27
  results, 1,24-26
  Stanford University, 3,278
  University of California, San Francisco, 3,278
  University of Utah, 3,278
  University of Washington, 3,278
  wearing of, 1,23
Cochlear otosclerosis, 4,297-300
  abnormal reflex patterns, 4,299
  acoustic reflex patterns, 4,298
  early otosclerosis, 4,298, 299
  method, 4,298-299
  polytomography, 4,297
  results, 4,299
  study, 4,298-299
  suspected cochlear otosclerosis, 4,298, 299
Cochlear reserve in otosclerosis, 4,335-356
  bone conduction speech audiometry, 4,354-356
  Bone Conduction Speech Weber Test (SWT), 4,354
  discussion, 4,342-353
  history, 4,335-337
  patients and methods, 4,337
  results analysis, 4,337-341
Cortical vestibular area, location of, 1,14
CSOM, *see* Otitis media, cronic serous
Cupula, density of, 1,35
Cyanoacrylates, 2,78-83

Dankinization, 3,238
Data Bank, 1,4, 9, 14, 27, 35, 43, 45, 49, 54, 57
Diagnostic audiometry and degree of hearing loss, 2,91-96
  audiometric level, 2,96
  classification, 2,91
  discussion, 2,95-96
  maximum performance, 2,93
  results, 2,93-95
  subjects, 2,91-92
  test procedures, 2,92
  test result interpretation, 2,92-93
Direct bone conduction hearing aid, 4,304
Direction fixed positional nystagmus, origin of, 1,43
Doctors' discussion, 1,58-60, 2,170-172, 3,291-293, 4,406-408

Ear burns, otologic aspects, 3,235-242
  cases, 3,236-240
  dakinization, 3,238
  hyperbaric oxygen therapy (HBO), 3,235-236, 241
  otologist's role, 3,235-236
  pathophysiology, 3,236
  prophylaxis, 3,240-241
  pseudomonas, 3,238-239
  treatment, 3,236-240
Ear canal, carcinoma in situ, 2,158-159
  case report, 2,158
  discussion, 2,158-159
  treatment mode, 2,159
Ear pain, 2,97
  etiologic factors, 2,98
  in neuralgias, 2,100-102
  psychogenic, 2,103
  referred pain, 2,99-100
  See also Nonotogenic otalgia
Eighth nerve
  division of, 1,45
  sensitivity, 2,95
Endolymphatic sac (ELS) in lemon sharks, 3,230-234
  discussion, 3,231-233
  inner ear epithelia changes, 3,231
  materials and methods, 3,230-231
Endolymphatic sac (ELS) surgery, 4,396
  case materials and methods, 4,330
  conclusions, 4,334
  glycerol test result and postoperative result, 4,332-333
  for Meniere's disease, 4,329-334
  results, 4,331-334
  silastic sheeting, 4,331, 332
  valve implants, 4,331, 333
  vertigo, severity of, 4,330
Endolymphatic sac (ELS) and vestibular aqueduct, 2,118-149
  air cell development, 2,142-143
  anatomic and physiologic review, 2,137
  anatomic variants, 2,126-128
  background, 2,119-120
  definitions and acronyms, 2,123
  group type I to V, 2,137-140
  histopathology, 2,140-142
  objectives, 2,120-122
  otitis media, clinical implications, 2,144-145
  overall study, 2,122-123
  preoperative audiograms, 2,126
  preoperative clinical aspects, 2,123-125
  radiographic assessment, 2,134-136
  surgery results, 2,129-134
  vertigo, aspects of, 2,125
Endolymphatic sac (ELS) and vestibular aqueduct, group I abnormalities, 3,248-268
  cases, 3,248-249, 250-254, 254-256, 256-257, 258-259, 259-261, 262, 264
  comments, 3,249-250, 254, 256, 257-258, 259, 261-262, 262-264
  group I and group II, 3,265-268
Endolymphatic sac (ELS) and vestibular aqueduct, group II abnormalities, 4,368-386
  cases, 4,368-373, 373-375, 376-377, 381-382, 383-385
  comments, 4,373, 375-376, 377-381, 383, 385-386
Epontol, 3,223-224
Eroded incus, 1,16-17
  recommendation, 1,21

Facial Nerve, 1,44-45, 3,289-290, 4,409
Fistula, 1,19
  recommendation, 1,21

Genetic syndromes and hearing loss, 1,36-38
Gradenigo's syndrome, 1,55

Hearing loss and congenital malformations, 1,36-38
Hearing loss, degree of, and diagnostic audiometry, 2,91-96
Hearing loss, low frequency, in central auditory disorders, 1,1-4
  audiologic evaluation, 1,3
  case report, 1,1-2
  comment, 1,3-4
  instrumentation, 1,2
  results, 1,3
Hemifacial spasm, caused by cholesteatoma, 3,272-273
  audiometric results, 3,273
  etiologic factors, 3,272
  history, 3,272-273
  hospital course, 3,273
  laboratory data, 3,273
Herald cyst, 1,57
Histoacryl, *see* Tissue adhesive Histoacryl
Hunter's syndrome (MPS II), 2,65
Hurler's syndrome, (MPS I), 2,66
Hyperplastic myelin change, 1,31, 33

Impedance audiometry, 4,301
  range of measurement, 4,303
  See also Middle ear volume
Information processing in auditory system, 4,387-388
Intact canal wall tympanoplasty, 4,315-317
  cholesteatoma, 4,316
  cholesterol granuloma, 4,316
  chronic suppurative otitis media, 4,316
  complications, 4,315
  discussion, 4,317
  hearing results, 4,316-317
  method and material, 4,315
  operations, 4,316
  results, 4,316-317
Internal auditory artery, 1,4
Internal auditory canal, decompression and neovascularization, 4,397
Intramuscular streptomycin sulfate (ISS), *see* Streptomycin therapy
Iowa City, Iowa. University of Iowa College of Medicine, 1,46-49

Krause, Charles J., 2,160-163

Labyrinth, 4,395
  cryosurgery of, 4,395
  ultrasound of, 4,395
Labyrinthectomy, 4,397
  extended transmeatal, 4,397-398
  middle fossa, 4,398
  oval window, 4,397
  transmastoid translabyrinthine, 4,398
Lateral rectus muscle paralysis, 1,54

McCabe, Brian F., 1,46-49
Malignant external otitis, *see* Otitis, malignant external
Malleus fixation, 1,18
  recommendation, 1,21
Masker, Tinnitus masker
Mastoid air cell system, 4,301-303; *See also* Middle ear volume
Meniere's disease, 3,216-218
  controversies about, 4,393
  and ELS surgery, 4,329-334
  and role of clinical audiologist, 3,211-215
  signs, 3,217-218
  standard evaluation, 3,218
  symptoms, 3,217
  terminology, 3,216-217
Meniere's disease, infantile, 3,196-198
  case reports, 3,196-197
  discussion, 3,197
  symptoms, 3,197
Meniere's disease, staging of, 4,357-364
  background, 4,357-358
  cases, 4,360-363
  disability staging, 4,360
  discussion, 4,363-364
  hearing staging, 4,358
  imbalance staging, 4,358-359
  vertigogram, 4,360-363
  vertigo staging, 4,358-359
Microchromosome, presence of, 1,36-38
  case report, 1,36-37
  discussion, 1,37-38
Middle ear surgery, use of tissue adhesive, *see* Tissue adhesive
Middle ear and TORPS and PORPS, 1,10-14
Middle ear volume, 4,301-303
  acoustic measurement, 4,302
  discussion, 4,303
  material, 4,301-302
  methods, 4,302
  planimetric measurement, 4,302

results, 4,302-303
volumetric measurement, 4,302
Middle fossa vestibular nerve section, 4,396-397
Minneapolis, Minnesota. University of Minnesota, 3,274-276
Mongolian gerbil meriones unguiculatis, 3,204-210
Mucopolysaccharidoses (MPS), 2,65-69
case reports, 2,66-67
clinical implications, 2,69
etiologic factors, 2,65, 68-69
histopathologic reports, 2,65-66
history, 2,65
left temporal bone, 2,67-68
right temporal bone, 2,68
temporal bone examination, 2,67

Neuralgias, 2,100-102
nervus internedius or geniculate, 2,101
occipital, 2,101
petrosal, 2,102
sphenopalatine, 2,102
vagoglossopharyngeal, 2,100-101
vidian nerve, 2,102
Nonotogenic otalgia, 2,97-104
categories, 2,97
diagnosis, 2,103-104
etiologic factors, 2,99-100
innervation of the ear, 2,97
neuralgias, 2,100-102
psychogenic pain, 2,103
referred otalgia, 2,97-99
temporal arteritis, 2,102-103
temporomandibular joint syndrome, 2,103
treatment, 2,104

Olsen-Noffsinger Tone Decay, 3,220
Osseointegrated titanium implants, in temporal bone, 4,304-310
auditory function, 4,308-309
background, 4,304-305
case histories, 4,308
discussion, 4,308
materials and methods, 4,306
permanent skin penetration, 4,306
problems, 4,305-306
results, 4,306-308
study aims, 4,306
theoretical advantages, 4,305
Ossicular chain reconstruction, 3,225-229
background, 3,225-226
hearing results, 3,228
histologic findings, 3,227
materials and methods, 3,226
prostheses, 3,227-228
reconstruction guidelines, 3,225
results, 3,226-227
surgical technique, 3,226
Ossiculoplasty, 2,88-90
ossicular prostheses preparation, 2,89
principles, 2,88-89
procedure, 2,89-90
Osteoclastoma, 3,189
Otitis, malignant external (MEO), in childhood, 4,402-404
case report, 4,402-403
cranial nerve involvement, 4,403
discussion, 4,403-404
facial paralysis and morbidity, 4,403
predisposing factors, 4,403
treatment, 4,404
Otitis, malignant external, treatment of initial stage, 3,223-224
advantages, 3,224
Epontol, 3,223-224
incidence, 3,223
results and comment, 3,224
surgical technique, 3,223
Otitis media
chronic serous (CSOM), and allergy skin testing, 2,150-157
supurative, 1,57
Otogenic disease, intracranial complications of, 2,164-167
antibiotics, discovery of, 2,164-165
brain abscess, 2,165-166
lateral sinus thrombosis, 2,166-167
meningitis, 2,165
Otologist, role of, in burn center, 3,235-236
Otology, history of
otosclerosis, 3,283-285
Portmann, Georges, 1,40-43
Otosclerosis, history of, 3,283-285
Otosclerosis regrowth, 1,18
recommendation, 1,21
Otospongiosis, 4,335-336

Paparella, Michael M., 3,274-276
Paroxysmal positional vertigo (cupulolithiasis), 4,393
Partial ossicular replacement prosthesis (PORPS), 1,10-14
clinical data, 1,11
discussion, 1,13
materials and methods, 1,10-11
results, 1,11
surgical findings, 1,11
PB rollover, 3,219, 220-221
Percutaneous nerve excitability test, 1,9
Perilymph fistula, 4,393
Perilymph total protein levels, *see* Cerebellopontine angle lesions
Photography, microscopic otologic, 3,243-247
argon laser photography, 3,247
discussion, 3,247
factors that increase illumination, 3,244
factors that reduce illumination, 3,244
highly absorptive surfaces, 3,246
highly reflective surfaces, 3,246
materials, 3,243-244
results, 3,246-247
routine subject matter, 3,246
technique, 3,244-246
tympanic membrane, 3,247
Zeiss camera, 3,247
Plasti-pore prostheses, 1,10-14, 3,226-229
PORPS, *see* Partial ossicular replacement prostheses
Portmann, Georges, 1,40-43
Proplast failure, in mastoid obliteration, 3,286-288
case reports, 3,286-288
discussion, 3,288
Proplast, characteristics and background, 3,288
Prosthese malfunction, 1,17-18
recommendation, 1,21
Psammon bodies, 1,49
Pseudomonas, 3,238-240
Psychogenic pain, 2,103
Pure-tone sensitivity, monitoring of, 1,1-2

Rare earth magnets, 1,22-27
effects on tissue, 1,24-25
effect on electrical fields, 1,25-26
Referred pain, 2,99-100
cartoid artery syndrome, 2,100
elongated styloid process syndrome, 2,99-100
fifth nerve, 2,99
ninth nerve, 2,99
pathways, 2,99
Reparative granuloma, 2,189
Residency programs
University of Iowa College of Medicine, 1,46-49
University of Michigan, 2,160-163
University of Minnesota, 3,274-276
Romberg position and importance of vestibular influences, 1,27
Routine test battery, site of lesion testing findings, 3,219-222
abnormalities, 3,220-221
background, 3,219
discussion, 3,221
discrimination, 3,221
overall findings, 3,220
presentation of tests, 3,220

Sacculotomy, 4,394-395, 397
Schoolchildren hearing disorders in Trinidad, *see* Trinidad
Schwann cells, 1,49
Secretory otitis, changes in children by season, 4,324-327
discussion and conclusions, 4,326-327
material and method, 4,324-325
results, 4,325-326
summer-winter prevalence, 4,325
tympanometric types, 4,325-326
Short Increment Sensitivity Index (SISI), 3,219, 220
Singular neurectomy, 4,395
Speech audiometry, 2,91
results, 2,94
test result interpretation, 2,92
Staggered Spondaic Word (SSW) testing, 3,219
Stapedectomy, 1,15-21
audiologic patterns, 1,19
discussion, 1,20-21
materials and methods, 1,16
negative findings, 1,18, 21
postoperative hearing results, 1,16
problems following, 1,15
sensorineural hearing loss, 1,20
summary, 1,21
surgical findings, 1,16-19
Stapedius Reflex Testing, 3,219, 221
Streptomycin therapy for Meniere's disease, 2,108-111
literature review, 2,108-109
patients, 2,109
residual problems, 2,110
results, 2,109-110
Subarcuate artery, 1,45
Suboccipital vestibular nerve section, 4,397

Super Threshold Adoption Test (STAT), 3,219, 220
Supra-threshold Adaptation test (STAT), 2,91
  results, 2,94-95
  test result interpretation, 2,93

Temporal arteritis, 2,102-103
Temporal bone, giant cell lesions, 2,188-192
  case histories, 2,190-192
  conclusions, 2,192
  histologic criteria, 2,189
  historical review, 2,189-190
  incidence, 2,189
  types, 2,189
Temporal bone specimens, technique for preservation, 4,328
Temporomandibular joint syndrome, 2,103
Threshold Bekesy audiometry, 2,91
  results, 2,94-95
  test result interpretation, 2,93
Time management, 1,50-54
  agents that cause use of time, 1,52-53
  behavior modification, 1,50
  exceptional achievers, 1,50-54
  results, 1,53
  TEGMA, 1,51-54
  time use models, 1,53
Tinnitus and auditory imagery, 1,5-9
  air and bone conduction pure-tone thresholds, 1,7
  case reports, 1,5, 6-8
  etiologic factors, 1,8
  masking of tinnitus, 1,9
  origin of tinnitus, 1,9
Tinnitus masker evaluation, 3,199-203
  discussion, 3,203
  masker fittings, 3,202-203
  masking with audiometer, 3,201
  masking with masker unit, 3,201
  procedure, 3,199-200
  recommendations, 3,201-202
  results, 3,200-201
  thirty-day trial, 3,202
Tissue adhesive Histoacryl, 2,77-87
  discussion and conclusions, 2,85-86
  goal, 2,78
  hypothesis, 2,83
  literature review, 2,78-83
  methods and materials, 2,83
  personal experience, 2,83
  results, 2,83-85
Tissue reaction, 1,18
  recommendation, 1,21
Tolosa-Hunt syndrome, 1,55-57
  background, 1,56
  case report, 1,55
  criteria for diagnosis, 1,56
  discussion, 1,55-56
  orbital venography, 1,56
TORPS, *see* Total ossicular replacement prostheses
Total ossicular replacement prostheses (TORPS), 1,10-14
  clinical data, 1,11
  discussion, 1,13
  materials and methods, 1,10-11
  results, 1,11
  surgical findings, 1,11
Transotic approach, to resection, 2,70-76
  advantages, 2,74
  case reports, 2,73-74
  disadvantages, 2,74-75
  material and method, 2,71
  surgical techinques, 2,70-71
Trinidad, Republic of and hearing disorders of schoolchildren, 4,311-314
  method, 4,312
  otitis media, 4,311-312
  results, 4,312-313
  screening, 4,313
Tympanic membrane structure and new concept, 2,112-117
Tympanic reconstruction, 4,365-367
  bone conduction thresholds, 4,366-367
  conclusions, 4,367
  discussion, 4,366-367
  material and methods, 4,366
  results, 4,366
Tympanotomy with tissue seal of fistula, 4,394

Unilateral ophthalmoplegiam acute painful, 1,55

Vein lateralized, 1,18
  recommendation, 1,21
Vertigo, 1,28, 1,33-35
Vertigo-disability profile, 4,358-359, 360-363
  cases, 4,360-363
  vertigogram, 4,360-363
  vertigo profile derivation, 4,358
Vertigo, surgery for, 3,179-187, 4,391-401
  audiometric evaluation, 4,392
  conservative procedures, 4,394-399
  destructive procedures, 4,397-399
  differential diagnosis, 4,393-394
  discussion, 3,184-186, 4,398-399
  dizziness, 4,393
  dysfunction types, 3,180-181
  electronystagmography (ENG), 4,392
  examination, 4,392
  history, 4,391-392
  hydrops, 3,181
  laboratory test, 4,393
  positional vertigo, 3,181
  postural change vertigo, 3,181
  preoperative hearing, 3,182-183
  radiologic evaluation, 4,392-393
  results, 3,182-184
  saccus decompression (SD), 3,182
  surgical therapy, 3,181-182, 4,394-398
  vestibular nerve resection, 3,182
Vestibular aqueduct, *see* Endolymphatic sac and vestibular aqueduct
Vestibular neuritis, 1,28-35
  acute, 1,28
  case reports, 1,29-30
  chronic, 1,28
  clinical data, 1,29
  discussion, 1,33
  electron microscope findings, 1,31-32
  histopathologic reports, 1,33
  light microscopic findings, 1,30-31
  material and methods, 1,28-29
  pathologic changes, 1,34-35
Vestibular neuronitis, 1,28, 33, 4,393-394
Vestibular paralysis, 1,28

AUTHOR INDEX

Albrektsson, Thomas, 4,304-310
Alford, Bobby R., 4,315-317
Appelblatt, Nancy Haley, 1,55-57
Arenberg, I. Kaufman, 2,118-149, 3,230-234, 3,248-268, 4,329-33, 4,357-364, 4,368-386
Association for Research in Otolaryngology, Workshop, 4,387-390
Asuncion, Juan, 2,150-157

Babin, Richard, 2,65-69
Baers, Harry A., 3,235-242
Bebear, J. P., 1,40-43
Belal, A., Jr., 1,10-14
Berliner, Karen I., 3,277-282
Brånemark, Per-Ingvar, 4,304-310
Britton, B. Hill, 2,97-104
Brooks, Robert C., 2,168-169

Causse, J. Bernard, 4,335-356
Causse, Jean R., 4,335-356
Chalat, Ned I., 2,112-117
Chastain, Wayne H., 1,50-54
Chole, Richard A., 3,204-210
Colclasure, Joe B., 3,188-192

Davis, William E., 3,272-273
Dichtel, William, 4,328
Dickins, John R. E., 3,243-247
Dormer, K. J., 1,22-27

Fisch, Ugo, 2,70-76
Forquer, Brian D., 4,297-300
France, M. W., 3,193-195

Gamoletti, Roberto, 3,225-229
Gertner, Alan B., 3,219-222
Gherini, Stuart, 4,402-404
Glasscock, Michael E., 2,105-107
Goldman, George, 4,357-364
Goodman, Richard M., 1,36-38
Goodwin, Patricia E., 1,5-9
Goldenberg, Robert A., 2,88-90
Graham, Malcolm D., 1,55-57, 2,168-169
Graham, Sharon S., 3,188-192

Haberman, Rex S. II, 3,269-271
Hall, Larry J., 2,150-157
Hallén, Olle, 4,304-310
Hambley, William M., 3,286-288
Hart, Cecil W., 3,216-218
Hassard, T. H., 3,179-187, 4,365-367
Hayes, Deborah, 2,91-96
Hayes, Elizabeth, 2,65-69
Henry, Kenneth R., 3,204-210
Hewett, T., 1,22-27
Holm-Jensen, S., 4,324-327
Holmquist, Jörgen, 4,301-303
Horn, Karl L., 3,286-288, 4,402-404
Hough, J. V. D., 1,22-27
House, William F., 1,28-35, 3,277-282
Hughes, Gordon, 2,158-159, 3,243-247, 4,391-401

Jackson, C. Gary, 2,105-107, 3,243-247
Jackson, Richard T., 4,318-323
Jenkins, Herman A., 2,70-76
Jerger, James, 1,1-4
Jerger, Susan, 1,1-4

Kaemmerle, Ann, 3,211-215
Kerr, A. G., 3,179-187
Kronenberg, Jona, 1,36-38

Leventon, George, 1,36-38
Lindeman, Pontus, 4,301-303
Lindström, Jörgen, 4,304-310
Lippy, William H., 1,15-21
Lukat, Michael, 2,150-157
Luterman, Barry F., 3,272-273

McGinn, Michael D., 3,204-210
Maddox, H. Edward III, 3,199-203
Magnani, Massimo, 3,225-229
Man, A., 3, 223-224
May, Mark, 1,44-45, 3,289-290, 4,409
Milstein, Stanley, 3,283-285
Moller, Aage, R., 4,387-388
Morrison, A. W., 3,193-195

Naclerio, Robert, 4,315-317
National Institute of Neurological and Communicative Disorders and Stroke, Workshop, 4,387-390
Neely, J. Gail, 4,315-317, 328
Niles, Lyndrey A., 4,311-314
Nissen, Alan J., 2,164-167
Norback, Diane H., 3,230-234

O'Connor, A. F., 3,193-195
Odnert, Sheila, 1,10-14

Pearlman, Ronald C., 4,311-314
Philp, Katherine Harvey, 3,274-276
Platz, Charles, 2,65-69
Porter, Todd H., 3,199-203
Powers, W. Hugh, 2,97-104
Pulliam, Morris W., 3,272-273

Rauchbach, Erol, 3,230-234
Richard G., 1,22-27
Richardson, George S., 1,39

Sadé, J., 3,196-198
Sanna, Mario, 3,225-229
Sauer, Richard C., 3,211, 215

Saunders, Anne Z., 4,318-323
Schuknecht, Harold F., 2,108-111
Schuring, Arnold G., 1,15-21
Segal, S., 3,223-224
Shea, M. Coyle Jr., 3,188-192
Sheehy, James L., 4,297-300
Sismanis, Aristides, 2,158-159, 3,243-247
Siedentop, Karl H., 2,77-87
Smyth, G. D. L., 3,179-187, 4,365-367
Sørensen, C. Hjort, 4,324-327
Stahle, Jan, 4,329-334, 4,357-364
Suga, Nobuo, 4,390
Symmes, David, 4,388-389

Templer, Jerry W., 3,272-273
Tjellström, Anders, 4,304-310
Tos, M., 4,324-327

Watson, Judith A., 1,46-49
Werth, James L., 3,269-271
Wilson, William R., 2,108-111

Yanagisawa, Eiji, 3,243-247
Yaniv, E., 3,196-198
Ylikoski, Jukka, 1,28-35

Ziv, Moshe, 1,15-21